

GOVERNMENT OF ASSAM  
POWER(ELECT.)MINES & MINERALS DEPARTMENT  
@@@@@

ORDERS BY THE GOVERNOR OF ASSAM  
NOTIFICATION

Dated Dispur, the 20<sup>th</sup> July, 2007.

NO.PEL.81/2002/Pt/158 : In exercise of the powers conferred by the Section 18 of the Energy Conservation Act, 2001 (52 of 2001), the Governor of Assam hereby issues the following directions for efficient use of energy and its conservation in the State of Assam, namely :-

1. Mandatory use of Energy Efficient lamps and appliances in Government buildings/Institutions/Boards/Corporations.
  1. Use of incandescent lamps in all new government buildings/institutions/Boards/Corporations/Autonomous bodies is banned with immediate effect. In existing buildings, defective ~~ix~~ incandescent lamps should be replaced with energy efficient lamps, such as compact fluorescent, slim tube lamps, LED lamps etc.
  2. All other electrical equipments such as Air Conditioners, Refrigerators, water pumps etc. shall conform to respective BIS standard and also conform to the Energy Efficiency standards set by the Bureau of Energy Efficiency with respective energy efficiency labels on these.
  3. Power utilities will affect necessary modifications in the load demand notices within two months time from the date of issue of this order to promote use of energy efficient lamps instead of conventional light bulbs while releasing/sanctioning new connections/loads.
2. Promotion of Energy Efficient Buildings designs based on the ECBC.
  1. All new buildings constructed in the Government sector will incorporate energy efficient building design concepts as per the Energy Conservation Building Codes (ECBC).
  2. The PWD and Urban Development department shall ensure incorporation of energy efficient building design concepts in all buildings to be constructed in future in the Government/Government Aided sector and comply with the provisions of the ECBC.
  3. The PWD and Urban Development department will designate a nodal officer for co-ordination and monitoring of these measures who will report the progress to the Chief Electrical Inspector-Cum-Adviser, Government of Assam, the designated agency under the Energy Conservation Act, 2001.

Provided that all new buildings or building complexes having connected load of 500KW or greater or a contract demand of 600KVA or greater having conditioned area of 1000sq. mt. or more should be constructed following the provisions of the Energy Conservation Building Codes (ECBC) published by the Government of India to ensure energy efficiency.

This order comes into force with immediate effect.

Sd/- J.P.MEENA  
Commissioner & Secretary to the Govt.  
of Assam, Power(Elect.)etc.Deptt.  
Dispur, Guwahati-781006.

Contd....2/-


- 2 -

Memo NO.PEL.81/2002/Pt/158-A,  
Copy to :-

Dated Dispur, the 20th July, 2007.

1. The Chief Secretary to the Govt. of Assam.
2. All Commissioner & Secretaries.
3. All Heads of Departments.
4. All Deputy Commissioners.
5. The Publisher, Assam Gazette.
6. The Director General, BEE, New Delhi.

By Order etc.,



Under Secretary to the Govt. of Assam,  
Power (Elect.) Department

\*\*\*\*